

## **Visfatin is induced by peroxisome proliferator-activated receptor gamma in human macrophages.**

Thérèse Hèrvée Mayi, Christian Duhem, Corinne Copin, Mohamed Amine Bouhlel, Elena Rigamonti, François Pattou, Bart Staels, Giulia Chinetti-Gbaguidi

► **To cite this version:**

Thérèse Hèrvée Mayi, Christian Duhem, Corinne Copin, Mohamed Amine Bouhlel, Elena Rigamonti, et al.. Visfatin is induced by peroxisome proliferator-activated receptor gamma in human macrophages.: Visfatin induction by PPARgamma in human macrophages. FEBS Journal, Wiley, 2010, 277 (16), pp.3308-20. <10.1111/j.1742-4658.2010.07729.x>. <inserm-00515302>

**HAL Id: inserm-00515302**


**<http://www.hal.inserm.fr/inserm-00515302>**

Submitted on 1 Jul 2011


**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Figure 1



**Figure 2**







Figure 3





Figure 4





Figure 5

**Figure 6**

