

French-language version of the World Health Organization quality of life spirituality, religiousness and personal beliefs instrument

Olfa Mandhouj, Jean-François Etter, Delphine Courvoisier, Henri-Jean Aubin

► To cite this version:

Olfa Mandhouj, Jean-François Etter, Delphine Courvoisier, Henri-Jean Aubin. French-language version of the World Health Organization quality of life spirituality, religiousness and personal beliefs instrument. Health and Quality of Life Outcomes, BioMed Central, 2012, 10 (1), pp.39. <10.1186/1477-7525-10-39>. <inserm-00737875>

HAL Id: inserm-00737875

<http://www.hal.inserm.fr/inserm-00737875>

Submitted on 2 Oct 2012

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

RESEARCH

Open Access

French-language version of the World Health Organization quality of life spirituality, religiousness and personal beliefs instrument

Olfa Mandhouj^{1,2}, Jean-François Etter^{3*}, Delphine Courvoisier⁴ and Henri-Jean Aubin^{1,5}

Abstract

Background: A valid assessment of spirituality and religiousness is necessary for clinical and research purposes. We developed and assessed the validity of a French-language version of the World Health Organization Quality of Life Spirituality, Religiousness and Personal Beliefs Instrument (WHOQOL-SRPB).

Methods: The SRPB was translated into French according to the methods recommended by the WHOQOL group. An Internet survey was conducted in 561 people in 2010, with follow-up 2 weeks later (n = 231, 41%), to assess reliability, factor structure, social desirability bias and construct validity of this scale. Tests were performed based on item-response theory.

Results: A modal score of 1 (all answers="not at all") was observed for Faith (in 34% of participants), Connectedness (27%), and Spiritual Strength (14%). All scales had test-retest reliability coefficients ≥ 0.7 . Cronbach's alpha coefficients were high for all subscales (0.74 to 0.98) and very high (>0.9) for three subscales (Connectedness, Spiritual Strength and Faith). Scores of Faith, Connectedness, Spiritual Strength and Meaning of Life were higher for respondents with religious practice than for those who had no religious practice. No association was found between SRPB and age or sex. The Awe subscale had a low information function for all levels of the Awe latent trait and may benefit from inclusion of an additional item.

Conclusions: The French language version of the SRPB retained many properties of the original version. However, the SRPB could be improved by trimming redundant items. The strength of SRPB relies on its multinational development and validation, allowing for cross-cultural comparisons.

Keywords: Spirituality, Religiousness, Quality of life, Internet surveys, Validity

Background

The association between spirituality and health is an emerging area of research, relatively little explored in Europe [1-3]. Spirituality and religious involvement have been linked to positive health outcomes and to better quality of life [1,4-6]. In particular, spirituality and religiousness are associated with lower rates of physical, mental and substance use disorders and with how patients cope with illness [1,4-6]. Incorporating spiritual perspectives as a component of quality of life may allow for the implementation of better and possibly more

acceptable health care, particularly for religiously oriented and/or terminally ill patients. Research on spirituality, religiousness and health has largely been conducted in North America [1], but religiousness and its relationship to health status varies greatly across countries [2,3]. Therefore, instruments that assess spirituality and religiousness ought to integrate input from various cultures and religions [6].

With this in mind, the World Health Organization Quality of Life Project developed the *Spirituality, Religiousness and Personal Beliefs Instrument* (WHOQOL-SRPB), a questionnaire that assesses quality-of-life aspects related to spirituality, religiousness and personal beliefs [6]. The SRPB is a chapter of the WHOQOL, which is a subjective, cross-cultural quality-of-life questionnaire and

* Correspondence: Jean-Francois. Etter@unige.ch

³Institute of Social and Preventive Medicine, Faculty of Medicine, University of Geneva, 1 rue Michel-Servet, CH-1211, Geneva 4, Switzerland
Full list of author information is available at the end of the article

one of the few such instruments that includes an existential component. The SRPB was developed from an extensive research project conducted in 18 centers around the world, involving participants that represented all major religions [6]. However, the partial validation study of the SRPB (principal component analysis, internal consistency and some tests of construct validity) did not include any French-speaking country. France and Switzerland both have a secular culture and a high prevalence of agnosticism and atheism and, in this regard, they differ from many other countries [3]. Because there have been relatively few studies of associations between spirituality and health in these two countries, we set out to develop and assess the validity of a French-language version of the SRPB.

Methods

Study design

This study involved translating the WHOQOL-SRPB instrument from English into French, then assessing the validity of the French version by posting it on a French-language website and inviting participants to complete the questionnaire. Responses were analyzed to assess the reliability, factor structure, social desirability bias and construct validity of the French SRPB. The questionnaire is available at: <http://www.stoptabac.ch/cgi-bin/spiritu.pl?language=fr>. The study was approved by the ethics committee of the Pitié Hospital in Paris.

The spirituality, religiousness and personal beliefs instrument

For research purposes, the construct of spirituality needs to be defined, operationalized and measured. The definition of spirituality has changed over recent decades, and its currently accepted meaning expands beyond religiosity. Differentiating spirituality from religiosity can be useful, particularly in secular countries where religiosity levels are low. Spirituality can be defined as experiences that seek to transcend self and to find meaning and purpose through connection with others, nature, and/or a supreme being; these experiences may or may not involve religious structures or traditions [7]. Spirituality, like personality and character, is an attribute of individuals. Religiosity, in contrast, refers to a link with an organized social entity [8]. In health care settings, spirituality has been studied in people from diverse religious backgrounds and in people with no religious background [9]. To avoid using a misleading dichotomous classification, spirituality is best understood as a multidimensional construct in which every individual can be located [10]. Like personality, culture or cognition, spirituality can be classified as a latent construct that cannot be observed directly but is inferred from observations of its component dimensions [11].

Taking these considerations into account, the SRPB was developed to evaluate how spirituality, religiosity and personal beliefs are related to quality of life in health and health care. The SRPB is a self-administered questionnaire that covers eight dimensions: Spiritual Connectedness, Meaning and Purpose in Life, Experience of Awe and Wonder, Wholeness and Integration, Spiritual Strength, Inner Peace, Hope and Optimism, and Faith. The SRPB includes 32 questions (four questions per dimension), answered on 5-point Likert-type scales that range from "not at all" to "an extreme amount" [6].

Translation to French

The translation of the SRPB from English to French was performed according to the procedures recommended by the WHOQOL Working Group [12]. The first step was to perform a professional translation of the source instrument. Then, a bilingual panel reviewed the translation, looking for inconsistencies between the English and French versions. Next, a monolingual group assessed the French document, looking for aspects that were not clearly comprehensible or were ambiguous in French. This group commented on the style of questioning and discussed the instructions to respondents with a member of the bilingual panel. After incorporation of all corrections proposed by the monolingual group, the new French version was translated back into English. Comparison with the original English language version was judged to be satisfactory and did not lead to any corrections in the French version. The French questionnaire was then pre-tested in face-to-face interviews with 30 people, to check for comprehensibility and clarity, to improve the formulation of questions and to conduct a preliminary statistical analysis. After these pre-tests, a final version of the French SRPB was prepared for the current study (Table 1). Scores for the SRPB were computed as means of the items in each scale.

Validity assessment

We conducted an Internet survey to assess the validity of the translated instrument, with a follow-up (retest) two weeks later. The survey form, in French, was posted on the smoking cessation website Stop-Tabac.ch [13,14] for five months (from December 2009 to May 2010). This site was chosen for convenience. Participants were informed that their answers would be stored on a computer file for statistical analyses, and were given the option to request that their answers were not retained on file. Participants who wanted to take part in a follow-up survey two weeks later indicated their e-mail address.

The psychometric characteristics of the French-language version of the SRPB were examined by studying the response distributions (missing values, normality, floor and ceiling effects, central tendency), and by

Table 1 French-language version of the WHOQOL-SRPB

Questionnaire sur la spiritualité, la religion et les croyances personnelles

L'espoir et l'optimisme

1. Est-ce que vous vous sentez optimiste ?
2. Êtes-vous optimiste en ce qui concerne votre vie ?
3. Votre optimisme améliore-t-il la qualité de votre vie ?
4. Êtes-vous capable de rester optimiste dans les moments d'incertitude ?

Le sens de la vie

5. Percevez-vous un sens à la vie, d'une façon générale ?
6. Le fait de vous occuper des autres donne-t-il un sens à votre vie ?
7. Est-ce que vous ressentez que votre vie a un but ?
8. Pensez-vous qu'il existe une raison pour que vous soyez présent sur terre ?

L'émerveillement

9. Êtes-vous capable de vous émerveiller de ce qui vous entoure ? (Nature, art, musique)
10. Vous sentez-vous spirituellement touché par la beauté ?
11. Avez-vous des sentiments d'inspiration ou d'excitation dans votre vie ?
12. Avez-vous un sentiment de reconnaissance quand vous pensez aux choses qui vous font plaisir dans la nature ?

La paix intérieure

13. Vous sentez-vous en paix avec vous-même ?
14. Ressentez-vous une paix intérieure ?
15. Êtes-vous capable de vous sentir paisible quand vous en avez besoin ?
16. Avez-vous l'impression qu'il existe une harmonie dans votre vie ?

La plénitude

17. Ressentez-vous une connexion entre votre esprit, votre corps et votre âme ?
18. Êtes-vous satisfait de l'équilibre entre votre esprit, votre corps et votre âme ?
19. Avez-vous le sentiment que ce que vous vivez est en accord avec ce que vous pensez et ce que vous ressentez ?
20. Vos convictions personnelles vous aident-elles à créer une cohérence entre ce que vous faites, ce que vous pensez et ce que vous ressentez ?

La puissance spirituelle

21. A quel point ressentez-vous de la force spirituelle intérieure ?
22. Pouvez-vous trouver de la force spirituelle dans les moments difficiles ?
23. A quel point cette force spirituelle vous aide-t-elle à mieux vivre ?
24. Votre force spirituelle vous aide-t-elle à vous sentir heureux dans la vie ?

La connexion à un être ou à une force spirituel(le)

25. Le fait de vous connecter à un être spirituel (Dieu, une puissance supérieure, une énergie, ou autre) vous aide-t-il à traverser les moments difficiles ?
26. Le fait de vous connecter à un être spirituel vous aide-t-il à supporter le stress ?
27. Le fait de vous connecter à un être spirituel vous aide-t-il à comprendre les autres ?

Table 1 French-language version of the WHOQOL-SRPB (Continued)

28. Le fait de vous connecter à un être spirituel vous apporte-t-il du réconfort ?

La foi

29. Dans quelle mesure la foi contribue-t-elle à votre bien-être ?
30. Dans quelle mesure la foi vous apporte-t-elle du réconfort dans votre vie quotidienne ?
31. Dans quelle mesure la foi vous donne-t-elle de la force dans la vie quotidienne ?
32. Dans quelle mesure la foi vous aide-t-elle à apprécier la vie ?

Réponses : pas du tout = 1, un peu = 2, modérément = 3, beaucoup = 4, fortement = 5.

Instructions : Les questions suivantes portent sur vos croyances spirituelles, religieuses et personnelles et leur impact sur la qualité de votre vie. Les questions portent sur votre vécu des 2 dernières semaines. Veuillez répondre à toutes les questions. Si vous n'êtes pas sûr de votre réponse, mettez la réponse qui vous paraît la plus appropriée.

assessing reliability and factor structure. Respondents also indicated whether they were sure of their answers to each question (not at all, moderately, absolutely sure). We conducted tests of construct validity (associations with religiosity and with life-threatening health problems), and we used the item response theory (IRT) to examine how precise and informative the scale and subscales were for respondents with different levels of spirituality.

Item response theory analyses estimate two types of parameters. The first type is called *person parameter* which indicates each participant's latent score on the underlying construct (in this case, spirituality). The person parameter is estimated on a standardized scale, with extremely low spirituality represented by -4 and extremely high spirituality represented by +4, and indicates the probability of scoring highly on each item. The second type of parameter is concerned with the items (*item parameters*), e.g., item severity indicates the level of "difficulty" of each item. An item with a negative item parameter has a high probability of being answered with a high score, whereas an item with a positive item parameter will probably yield a low score [15]. Based on theory, we assumed that the total SRPB scale and each subscale would measure a single dimension. This assumption is commonly made when the mean value or the sum of the items is used to compute a score. Based on the person parameters and item parameters, we obtained total information curves, which depict the information value of each scale at each level of the person parameters; higher information values denote more precision. The lower boundary of the information function is zero, which indicates that the scale provides no information on the underlying construct at a given level of person

Table 2 Characteristics of study participants who responded to French-language SRPB, Internet 2009-2010

Characteristic	
Number of respondents	561
Age, years (mean, SD)	42.2 (11.6)
Men (%)	33.9
Obtained a diploma giving access to university (%)	70.6
Professional status (%)	
Professional	29.9
Employee	29.9
Intermediary profession	12.3
No professional activity	10.6
Retired	5.7
Craftsman	5.3
Other, non response	6.3
How would you qualify your religious practice? (%)	
Regular	11.6
Occasional	10.7
None, but feeling of belonging	33.2
None, and no feeling of belonging	42.8
To which religious affiliation do you feel closest? (%)	
Catholic	28.7
Protestant	8.0
Jewish	2.0
Islam	4.1
Buddhist	14.8
Agnostic	18.7
Atheist	18.4
Did you ever have a serious health problem? (Yes, %)	25.3
If you did, did you ever think that your life was threatened by this health problem?	72.5
Smoking status (%)	
Daily smoker	28.3
Occasional (non-daily) smoker	3.9
Former smoker	58.3
Never smoker	7.3

parameter. There is no upper boundary, as this value depends on the number of items and modalities.

Reliability

To assess test-retest reliability, intra-class correlation coefficients were computed for each item and subscale, using the two measures (baseline and two weeks later). We also checked whether the internal consistency coefficients (Cronbach's alpha) of the SRPB general scale and subscales exceeded 0.7, as recommended [16]. For each

item, the alpha coefficients of the corresponding subscale were assessed if this item had been deleted.

Factor analysis

To assess the structure of SRPB, exploratory factor analysis with promax rotation was applied. To determine the number of factors to retain, Velicer's MAP test, Horn's parallel analysis, the criterion of eigenvalue >1, and criteria of interpretability were applied [17].

Social desirability bias

To assess social desirability bias (the tendency to give answers that conform to a perceived social norm), correlations between SRPB ratings and the Marlowe-Crowne Social Desirability scale (13-item short form, French-language version) were assessed [18,19].

Tests of construct validity

Associations between SRPB scores and either religious affiliation or religious practice were assessed, as we expected to observe higher SRPB scores in participants who indicated a religious affiliation (Catholic, Protestant, Jewish, Muslim or Buddhist) than in atheists, and higher scores in participants who had a regular religious activity than in those who had none and had no feeling of religious belonging. We also compared SRPB scores in people who ever had a life-threatening health problem (n = 103) with those who never had such a problem (n = 410). Any association between SRPB ratings and sex, age and education (possession of a diploma that would give access to university, or not) [6] were also assessed.

Statistical analyses

The following statistical tests were used: *t* tests to compare means in two samples, *F* tests from analysis of variance to compare means in more than two samples, and chi-square tests to compare proportions. Linear regression models were used to assess associations between SRPB scores and age. Explanatory factor analysis and IRT analyses were conducted using R statistical software, and all other analyses were conducted with SPSS.

Results

Participant characteristics

There were 561 participants at baseline and 231 (41%) at the 2-week follow-up. Most respondents were female, most (71%) had an educational diploma that would give access to university, most (76%) had no religious practice, and 37% were either agnostics or atheists. Participants lived in France (57%), Switzerland (24%), Belgium (7%), Canada (4%) and other countries (8%). The majority of participants were former smokers and there were few never smokers (Table 2).

Table 3 Psychometric properties of the French-language version of the WHOQOL-SRPB

<i>Abbreviated item content</i>	Correlation with social desirability	Test-retest reliability coefficient	Cronbach's alpha or alpha if item deleted ^a	Rather sure + not sure of their answer (%)	"Not at all" (%)	"An extreme amount" (%)	Mean (SD)
Hope & Optimism							
1. Hopeful	0.23***	0.59***	0.72	39.0	5.2	8.6	3.25 (0.94)
2. Hopeful about life	0.25***	0.73***	0.72	35.1	3.9	8.9	3.29 (0.94)
3. Optimistic, quality of life	0.15***	0.48***	0.80	24.4	4.6	24.1	3.67 (1.05)
4. Optimistic in uncertainty	0.28***	0.63***	0.77	32.9	11.4	3.4	2.80 (0.91)
Meaning of life							
5. Finds meaning in life	0.22***	0.72***	0.69	27.7	10.7	20.0	3.39 (1.22)
6. Taking care of others	0.21***	0.58***	0.82	20.6	3.7	25.5	3.75 (0.94)
7. Life has a purpose	0.19***	0.76***	0.66	29.0	15.3	20.3	3.16 (1.29)
8. Here for a reason	0.12**	0.74***	0.77	29.9	28.3	21.7	2.95 (1.46)
Awe							
9. Experiences awe	0.18***	0.61***	0.70	11.9	0.7	50.4	4.23 (0.81)
10. Touched by beauty	0.08 ns	0.69***	0.68	22.6	8.2	30.8	3.70 (1.14)
11. Feelings of inspiration	0.06 ns	0.60***	0.66	24.9	2.5	21.9	3.59 (0.89)
12. Grateful for things	0.17 ***	0.73***	0.69	24.0	10.2	23.9	3.54 (1.23)
Inner Peace							
13. Peaceful with yourself	0.27***	0.78***	0.85	31.9	9.4	11.1	3.19 (1.07)
14. Has inner peace	0.25***	0.73***	0.83	31.4	14.4	8.6	2.98 (1.11)
15. Feels peaceful	0.29***	0.66***	0.87	33.7	9.2	6.0	2.94 (0.94)
16. Sense of harmony	0.23***	0.73***	0.87	34.4	11.6	8.0	3.07 (0.96)
Wholeness							
17. Connection mind body	0.21***	0.76***	0.81	30.9	20.7	16.8	3.10 (1.27)
18. Balance mind body soul	0.22***	0.66***	0.73	33.4	20.0	7.1	2.77 (1.18)
19. Way you live consistent	0.28***	0.61***	0.75	29.7	14.8	8.9	3.07 (1.10)
20. Creates coherence	0.19***	0.54***	0.77	27.4	5.9	18.4	3.36 (1.07)
Spiritual Strength							
21. Feels spiritual strength	0.19***	0.75***	0.94	31.9	19.6	12.8	2.96 (1.30)
22. Strength difficult times	0.18***	0.81***	0.92	28.7	18.4	10.3	2.88 (1.24)
23. Helps to live better	0.11***	0.86***	0.91	27.6	19.4	12.7	2.98 (1.34)
24. Feels happy in life	0.14***	0.76***	0.92	27.9	22.1	10.5	2.86 (1.32)
Connectedness							
25. Gets through hard times	0.12**	0.82***	0.93	22.3	32.8	16.0	2.71 (1.49)
26. Tolerates stress	0.14***	0.80***	0.93	26.3	43.5	6.2	2.33 (1.30)
27. Understands others	0.16***	0.83***	0.93	25.2	42.1	9.8	2.48 (1.42)
28. Comforts, reassures	0.12**	0.87***	0.92	24.4	36.9	12.5	2.56 (1.47)
Faith							
29. Contributes well-being	0.15***	0.92***	0.97	23.0	38.9	10.7	2.51 (1.46)
30. Gives you comfort	0.18***	0.91***	0.97	22.6	39.9	7.7	2.37 (1.40)

Table 3 Psychometric properties of the French-language version of the WHOQOL-SRPB (Continued)

31. Gives you strength	0.17***	0.89***	0.97	20.3	39.8	9.8	2.42 (1.43)
32. Helps you enjoy life	0.17***	0.88***	0.98	20.0	39.8	12.1	2.49 (1.48)
					Skew	Kurtosis	
Hope & Optimism	0.29***	0.75**	0.80	–	-0.54	0.24	3.33 (0.78)
Meaning of Life	0.21***	0.79***	0.79	–	-0.24	-0.79	3.33 (1.04)
Awe	0.15***	0.69***	0.74	–	-0.56	0	3.84 (0.81)
Inner Peace	0.30***	0.81***	0.89	–	-0.20	-0.56	3.02 (0.95)
Wholeness	0.27***	0.76***	0.81	–	-0.15	-0.70	3.07 (0.97)
Spiritual Strength	0.15***	0.84***	0.94	–	-0.22	-1.11	2.94 (1.22)
Connectedness	0.15***	0.88***	0.95	–	0.29	-1.37	2.51 (1.35)
Faith	0.17***	0.92***	0.98	–	0.41	-1.29	2.43 (1.39)
Total score, 32 items	0.22***	0.90***	0.96	–	0.09	-0.78	3.05 (0.83)

^a. Cronbach's alpha for scales. For each item, alpha of the corresponding subscale if this item was deleted.

* $p \leq 0.05$; ** $p \leq 0.01$; *** $p \leq 0.001$.

Missing values

No single SRPB item produced more than 4.3% of missing values. The eight subscales could be computed for 98.8-100% of respondents. The general scale could be computed for all respondents.

Floor and ceiling effects

A modal score of 1 (all answers="not at all") was observed for Faith (in 34.2% of respondents), Connectedness (26.6%), and Spiritual Strength (13.5%). The distributions of the Awe and Hope subscales were slightly skewed to the right (skewness: Awe = -0.56, Hope = -0.54), but nevertheless did not present a substantial ceiling effect. Faith was skewed to the left (skewness = 0.41) because of a modal "not at all" answer. The other subscales and the general SRPB score had roughly symmetrical distributions (graphs not shown).

Test-retest reliability

With the exception of the Awe scale (test-retest correlation = 0.69), all scales had test-retest reliability coefficients above 0.7. However, a few items, in particular from the Hope subscale, had relatively low test-retest coefficients ($r < 0.6$) (Table 3).

Internal consistency

Cronbach's alpha coefficients were high for all subscales (range 0.74 to 0.98), and very high (>0.9) for three subscales (Connectedness, Spiritual Strength and Faith) (Table 3).

Factor analyses

The rule of eigenvalue > 1 suggested retention of all eight factors, Horn's parallel analysis three factors and Velicer's MAP test seven factors. An eight-factor

solution was interpretable and explained 65% of the variance (Table 4). All the SRPB *a priori* dimensions loaded on distinct factors and were well defined, except for the Wholeness dimension, which loaded on two different factors, and for the Connectedness dimension, which loaded higher on the first factor than on its specific factor. Moreover, the item "taking care of other people" did not load on the expected factor, leading the Meaning of Life dimension to be defined by only three items. There were substantial correlations between Faith and Connectedness ($r = 0.88$); Faith and Spiritual Strength ($r = 0.73$); Connectedness and Spiritual Strength ($r = 0.77$); and Inner Peace and Wholeness ($r = 0.74$) ($p < 0.001$ for all these correlations).

Social desirability

Correlations between the social desirability score and all subscales were significant at the $p = 0.001$ level, but these correlations were relatively small (all $r \leq 0.30$). The largest correlations were observed for Inner Peace ($r = 0.30$) and Hope ($r = 0.29$).

Confidence

Substantial proportions ($>20\%$) of "not sure" and "rather sure" answers were observed for items in all subscales (Table 3).

Tests of construct validity

The 65 respondents who had a regular religious practice were compared with the 240 who reported having no religious practice and no feeling of belonging. Scores of Faith, Connectedness, Spiritual Strength and Meaning of Life were significantly higher for respondents with religious practice. Smaller differences were observed for Hope, Awe and Inner Peace (Table 5).

Table 4 Factor structure of the French-language version of the WHOQOL-SRPB

<i>Abbreviated item content</i>	Factor 1	Factor 2	Factor 3	Factor 4	Factor 5	Factor 6	Factor 7	Factor 8
Hope & Optimism								
1. Hopeful				85				
2. Hopeful about life				74				
3. Optimistic, quality of life				62				35
4. Optimistic in uncertainty		32		65				
Meaning of life								
5. Finds meaning in life						83		
6. Taking care of others								88
7. Life has a purpose						83		
8. Here for a reason						69		
Awe								
9. Experiences awe					90			
10. Touched by beauty			47		59			
11. Feelings of inspiration					77			
12. Grateful for things					40			
Inner Peace								
13. Peaceful with yourself		96						
14. Has inner peace		82						
15. Feels peaceful		92						
16. Sense of harmony		49						
Wholeness								
17. Connection mind body			49					
18. Balance mind body soul		59					31	
19. Way you live consistent							73	
20. Creates coherence							79	
Spiritual Strength								
21. Feels spiritual strength			79					
22. Strength difficult times			83					
23. Helps to live better			87					
24. Feels happy in life			77					
Connectedness								
25. Gets through hard times	69							
26. Tolerates stress	78							
27. Understands others	82							
28. Comforts, reassures	86							
Faith								
29. Contributes well-being	100							
30. Gives you comfort	100							
31. Gives you strength	99							
32. Helps you enjoy life	96							

Factor loadings x 100, loadings below 30 are not shown.

Table 5 Tests of construct validity for the French-language version of the WHOQOL-SRPB

<i>Abbreviated item content</i>	Differences between regular vs no religious practice or belonging	Differences between religious affiliation vs. atheists	Ever vs. never had a life-threatening health problem	Diploma giving access to University (difference between yes/no)
Hope & Optimism				
1. Hopeful	0.34**	0.17 ns	-0.09 ns	-0.18*
2. Hopeful about life	0.46**	0.16 ns	-0.06 ns	-0.12 ns
3. Optimistic, quality of life	0.51**	0.32**	0.20 ns	-0.18 ns
4. Optimistic in uncertainty	0.30*	0.16 ns	-0.07 ns	-0.06 ns
Meaning of life				
5. Finds meaning in life	1.17***	0.66 ***	0.13 ns	-0.14
6. Taking care of others	0.53**	0.37**	0.36 **	-0.07
7. Life has a purpose	1.36***	0.74***	0.27 ns	-0.21
8. Here for a reason	2.05***	1.54***	0.17 ns	-0.50***
Awe				
9. Experiences awe	0.18 ns	0.17*	0.19 *	0.07
10. Touched by beauty	0.85***	0.82***	0.22 ns	0.04
11. Feelings of inspiration	0.30*	0.30**	0.15 ns	-0.11
12. Grateful for things	0.96**	1.02***	0.39 **	-0.35**
Inner Peace				
13. Peaceful with yourself	0.59***	0.09 ns	-0.06 ns	-0.03
14. Has inner peace	1.07***	0.35**	-0.15 ns	-0.01
15. Feels peaceful	0.63***	0.23*	0.07 ns	-0.07
16. Sense of harmony	0.71***	0.30*	-0.20 ns	-0.12
Wholeness				
17. Connection mind body	1.32***	1.07***	0.18 ns	-0.24
18. Balance mind body soul	0.94***	0.52***	-0.17 ns	-0.12
19. Way you live is consistent	0.62***	0.17 ns	-0.01 ns	0.02
20. Creates coherence	0.69***	0.25*	-0.05 ns	0.05
Spiritual Strength				
21. Feels spiritual strength	1.67***	1.28***	0.26 ns	-0.20
22. Strength in difficult times	1.88***	1.30***	0.20 ns	-0.14
23. Helps live better	1.96***	1.46***	0.23 ns	-0.19
24. Feels happy in life	1.84***	1.38***	0.07 ns	-0.21
Connectedness				
25. Gets through hard times	2.61***	2.03***	0.22 ns	-0.39**
26. Tolerates stress	2.04***	1.57***	0.10 ns	-0.37**
27. Understands others	2.59***	1.73***	0.11 ns	-0.32**
28. Comforts, reassures	2.62***	1.96***	0.12 ns	-0.48***
Faith				
29. Contributes to well-being	2.87***	1.94***	0 ns	-0.35**
30. Gives you comfort	2.67***	1.76***	0.01 ns	-0.46***
31. Gives you strength	2.64***	1.85***	0.07 ns	-0.38**
32. Helps you enjoy life	2.69***	1.93***	0.02 ns	-0.48***
Hope & Optimism	0.40***	0.20*	0 ns	-0.14 ns


Table 5 Tests of construct validity for the French-language version of the WHOQOL-SRPB (Continued)

Meaning of Life	1.30***	0.84***	0.24 *	-0.22*
Awe	0.58***	0.58***	0.25 **	-0.08 ns
Inner Peace	0.76***	0.25*	-0.08 ns	-0.05 ns
Wholeness	0.89***	0.47***	-0.01 ns	-0.08 ns
Spiritual Strength	1.83***	1.35***	0.21 ns	-0.18 ns
Connectedness	2.45***	1.83***	0.14 ns	-0.40**
Faith	2.71***	1.87***	0.02 ns	-0.40**
Total score, 32 items	1.35***	0.91***	0.09 ns	-0.19*

* $p \leq 0.05$; ** $p \leq 0.01$; *** $p \leq 0.001$.

In addition, the 323 respondents who declared a religious affiliation (Catholic, Protestant, Jewish, Muslim or Buddhist) were compared with the 103 who declared themselves to be atheists. Large differences between these two groups were observed for Faith and Connectedness, and smaller differences for Hope, Inner Peace and Wholeness (Table 5).

People who ever had a life-threatening health problem had slightly elevated scores for Awe and Meaning of Life, compared with those who never had such a problem. In contrast with previous reports [6], we found no association between SRPB scores and either age or sex (data not shown). However, negative associations were found between education (possession of a diploma giving access to university, or not) and the Connectedness and Faith scales, and some items in the Meaning of Life and Awe scales (Table 5).



Item response theory analysis

Item response theory analysis showed that only 79 respondents (14%) had low spirituality scores (-1 or below), 431 (77%) had slightly low to high spirituality scores (between -1 and +2), and 51 (9%) had very high spirituality scores (+2 and above). The information function (Figure 1) showed that the total score (i.e., all items) was most informative for respondents in the middle range of values (from -1 to +2). As all the subscales have the same number of items and response options, the maximum value of their information function is the same and curves can be compared. The information function of the subscales (Figure 2) showed that the Awe subscale, and to a lesser degree, the Hope, Inner Peace and Wholeness subscales were not very informative. This indicates that an individual's answers to any question can be almost perfectly predicted from his/her answers to the other questions on the scale, and that the additional questions are thus redundant and not informative.

Discussion

We developed a French-language version of the WHOQOL-SRPB and assessed its validity. The translated version retained many of the properties of the original version. In particular, the French version produced few missing answers, its test-retest reliability coefficients and alpha coefficients were high, and its factor structure was interpretable. Some limitations of this translated scale were also apparent. For example, the original factor structure was not present in our data, there may be some redundancy among items, and the scale could probably be trimmed without losing much information. With 32 questions, the SRPB is rather long, and a shorter version could be useful for studies in which spirituality is only one of several measures.

Number of factors

The authors of the original English-language SRPB scale did not indicate what rule they had used to identify the number of factors in the scale, nor did they report results of a confirmatory factor analysis [6]. Our analyses




Figure 2 Test information function for the SRPB subscales.

suggest that the scale may contain fewer than eight factors, as Faith, Connectedness and Spiritual Strength were highly correlated, as were Inner Peace and Wholeness. Models with fewer dimensions and items may need to be explored.

Reliability

Cronbach's alpha coefficients for the subscales were high (0.74 to 0.98) for the French version and comparable to alpha coefficients reported in the original publication (0.77 to 0.95) [6]. However, for several subscales, alpha coefficients were perhaps too high (>0.9), which suggests that there is some redundancy and that several items could probably be deleted. Items that had low test-retest coefficients, and those for which participants were not sure of their answers might be either rewritten or deleted.

Social desirability

Correlations with social desirability ratings were somewhat higher than expected, which suggests that at least some of the variance in the SRPB can be explained by social desirability, particularly for the Inner Peace and Hope scales.

Construct validity

As expected, scores for Faith and Connectedness were substantially higher for religious participants than for either atheists or participants who reported having no religious practice or sense of belonging. However, relatively small differences were observed between these groups for Hope and for Inner Peace, and differences for several items in these scales were non-significant. These findings support the concept that spirituality can stretch outside religiosity, leaving the possibility for a category of individuals who have high spirituality ratings even though they are not religious [9].

Having ever had a life-threatening health problem was associated with elevated scores on some items only (in particular, feeling grateful and taking care of others). No association was found between gender and SRPB scores in our study, even though several studies have found that women are generally more religious than men [20,21]. However, the associations previously reported between gender and SRPB were quite weak (about 0.1 standard deviation units) [6], and thus, our data do not necessarily contradict these earlier findings.

Information function

Item response theory analyses showed that the total score was most informative for individuals with medium to high spirituality scores, but was less informative for those with very low spirituality scores, which is consistent with the fact that most of the participants acknowledged a religious affiliation. The scale would not be able to discriminate well between individuals with slightly low (e.g., -1) and very low (e.g., -3) spirituality ratings. While most subscales were at least adequately informative, the Awe subscale had a low information function for all levels of the Awe latent trait and may benefit either from inclusion of an additional item, or from rewriting.

Study limitations

This study was conducted in a self-selected sample of individuals who were users of a smoking cessation website. This method over-sampled current and former smokers, women and people with higher education, under-sampled never smokers [13,22], and included mostly healthy people. Thus, although our study provides useful information on the performance of the SRPB, our findings should be interpreted with caution, because they may not be generalizable to other populations in which the SRPB is likely to be used

(e.g. very sick people, the elderly, or people without a higher education). It is not clear whether and how the inclusion of a majority of ever smokers affected our results, but some research suggests that religiousness and spirituality may protect against smoking [23,24]. Testing this scale in representative samples, in illness samples, in different countries and cultural groups, is warranted.

Conclusion

Relatively few scales specifically measure spirituality and religiousness [6]. The strength of the SRPB relies on its multinational and multi-language development and validation, which allows cross-cultural comparisons. The French language version of the SRPB retained many characteristics of the original, English-language version, and was found to meet tests of reliability and construct validity. However, the SRPB could be improved by trimming redundant items or rewriting some items.

Abbreviations

WHOQOL, World Health Organization quality of life; SRPB, spirituality, religiousness and personal beliefs instrument; IRT, item response theory; MAP, minimum average partial.

Competing interests

The authors declare that they have no competing interests

Authors' contributions

OM, HJA and JFE conceived of the study and designed it. JFE and DC performed the statistical analysis. JFE was in charge of data collection. All authors contributed to writing the manuscript. All authors read and approved the final manuscript.

Acknowledgements

The authors would like to thank Marilyn Skinner and Pierre Burgaud for their help translating from English to French, then back to English, and Vincent Baujard, from the Health on the Net Foundation, who developed the software for data collection.

Funding

There was no external funding for this study.

Author details

¹INSERM U699, Paris, France. ²Association de santé mentale du 13ème arrondissement de Paris, Paris, France. ³Institute of Social and Preventive Medicine, Faculty of Medicine, University of Geneva, 1 rue Michel-Servet, CH-1211, Geneva 4, Switzerland. ⁴Division of Clinical Epidemiology, Geneva University Hospitals, Geneva, Switzerland. ⁵Université Paris-Sud, Service d'addictologie, Hôpital Paul Brousse, Villejuif, France.

Received: 8 December 2011 Accepted: 30 March 2012

Published: 19 April 2012

References

1. Koenig H, McCullough M, Larson D: *Handbook of Religion and Health*. New York: Oxford University Press; 2001.
2. Nicholson A, Rose R, Bobak M: Associations between different dimensions of religious involvement and self-rated health in diverse European populations. *Health Psychol* 2010, **29**(2):227–235.
3. Nicholson A, Rose R, Bobak M: Association between attendance at religious services and self-reported health in 22 European countries. *Soc Sci Med* 2009, **69**(4):519–528.
4. O'Connor AP, Wicker CA, Germino BB: Understanding the cancer patient's search for meaning. *Cancer Nurs* 1990, **13**(3):167–175.
5. Ferrell BR, Dow KH, Grant M: Measurement of the quality of life in cancer survivors. *Qual Life Res* 1995, **4**(6):523–531.
6. WHOQOL: A cross-cultural study of spirituality, religion, and personal beliefs as components of quality of life. *Soc Sci Med* 2006, **62**(6):1486–1497.
7. Buck HG: Spirituality: concept analysis and model development. *Holist Nurs Pract* 2006, **20**(6):288–292.
8. Miller WR, Thoresen CE: Spirituality, religion, and health. An emerging research field. *Am Psychol* 2003, **58**(1):24–35.
9. Koenig HG: Concerns about measuring "spirituality" in research. *J Nerv Ment Dis* 2008, **196**(5):349–355.
10. Larson DB, Swyers JP, McCullough ME: *Scientific research on spirituality and health: A consensus report*. Rockville, MD: National Institute for Healthcare Research; 1997.
11. Galanter M: Spirituality and addiction: a research and clinical perspective. *Am J Addict* 2006, **15**(4):286–292.
12. WHOQOL-Group: Study protocol for the World Health Organization project to develop a Quality of Life assessment instrument (WHOQOL). *Qual Life Res* 1993, **2**(2):153–159.
13. Wang J, Etter JF: Administering an effective health intervention for smoking cessation online: the international users of Stop-Tabac. *Prev Med* 2004, **39**(5):962–968.
14. Etter JF: Internet-based smoking cessation programs. *Int J Med Inform* 2006, **75**(1):110–116.
15. Van der Linden WJ, Hambleton RK: *Handbook of modern item response theory*. New York: Springer; 1997.
16. Nunnally JC, Bernstein IH: *Psychometric Theory*. New York: McGraw-Hill; 1994.
17. O'Connor BP: SPSS and SAS programs for determining the number of components using parallel analysis and velicer's MAP test. *Behav Res Methods Instrum Comput* 2000, **32**(3):396–402.
18. Crowne DP, Marlowe D: A new scale of social desirability independent of psychopathology. *J Consult Psychol* 1960, **24**:349–354.
19. Valla J, Bergeron L, Breton J, Gaudet N, Berthiaume C, St-Georges M: *Enquête québécoise sur la santé mentale des jeunes de 6 à 14 ans: 1992 - Volume 1: Méthodologie*. In. Montreal: Hôpital Rivière-des-Prairies et Santé Québec en collaboration avec le Ministère de la Santé et des Services Sociaux; 1997.
20. Maselko J, Kubzansky LD: Gender differences in religious practices, spiritual experiences and health: results from the US General Social Survey. *Soc Sci Med* 2006, **62**(11):2848–2860.
21. McCullough ME, Hoyt WT, Larson DB, Koenig HG, Thoresen C: Religious involvement and mortality: a meta-analytic review. *Health Psychol* 2000, **19**(3):211–222.
22. Etter JF, Perneger TV: A comparison of cigarette smokers recruited through the Internet or by mail. *Int J Epidemiol* 2001, **30**(3):521–525.
23. Koenig HG, George LK, Cohen HJ, Hays JC, Larson DB, Blazer DG: The relationship between religious activities and cigarette smoking in older adults. *J Gerontol A Biol Sci Med Sci* 1998, **53**(6):M426–M434.
24. Borrás L, Mohr S, Brandt PY, Gillieron C, Eytan A, Huguélet P: Influence of spirituality and religiousness on smoking among patients with schizophrenia or schizo-affective disorder in Switzerland. *Int J Soc Psychiatry* 2008, **54**(6):539–549.

doi:10.1186/1477-7525-10-39

Cite this article as: Mandhouj et al.: French-language version of the World Health Organization quality of life spirituality, religiousness and personal beliefs instrument. *Health and Quality of Life Outcomes* 2012 **10**:39.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

