

## Angiogenin

Josette Badet

► **To cite this version:**

Josette Badet. Angiogenin. Professor Andr as Bikfalvi. Encyclopedic Reference of Vascular Biology & Pathology, Berlin Heidelberg: Springer-Verlag, pp.16-29, 2000. inserm-00169162


**HAL Id: inserm-00169162**

**<https://www.hal.inserm.fr/inserm-00169162>**

Submitted on 2 Oct 2007

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destin e au d p t et   la diffusion de documents scientifiques de niveau recherche, publi s ou non,  manant des  tablissements d'enseignement et de recherche fran ais ou  trangers, des laboratoires publics ou priv s.



**Figure 3.** Structure of ribonuclease inhibitor (RI). (a) Ribbon diagram of the structure of porcine RI generated using the program MOLSCRIPT. (b) Consensus sequences and secondary structure of leucine-rich repeats (LRRs) of porcine RI. The sequence of RI was aligned so that two types of repeats (A and B) alternate in the sequence. One-letter amino acid code is used. 'x' indicates any amino acid and 'a' denotes an aliphatic amino acid. The part of the repeat that is strongly conserved in all LLR proteins is underlined, and the conserved residues are shown in bold. Below the sequence, solid lines mark the core region of  $\beta$ -sheet and helix; dots denote extensions of helix in different repeats. Reproduced with permission from [54].