

Inpatient mother-and-child postpartum psychiatric care: factors associated with improvement in maternal mental health.

Nine Glangeaud-Freudenthal, Anne-Laure Sutter, Anne-Claire Thieulin, Véronique Dagens-Lafont, Marie-Agathe Zimmermann, Alain Debourg, Blanche Massari, Odile Cazas, Rafaële Cammas, Christine Rainelli, et al.

► **To cite this version:**

Nine Glangeaud-Freudenthal, Anne-Laure Sutter, Anne-Claire Thieulin, Véronique Dagens-Lafont, Marie-Agathe Zimmermann, et al.. Inpatient mother-and-child postpartum psychiatric care: factors associated with improvement in maternal mental health.. *European Psychiatry*, Elsevier, 2011, 26 (4), pp.215-23. 10.1016/j.eurpsy.2010.03.006 . inserm-00493033v2

HAL Id: inserm-00493033

<https://www.hal.inserm.fr/inserm-00493033v2>

Submitted on 10 Jan 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Table 1: Rate of marked improvement at discharge according to factors tested
(N=869; mean rate of marked improvement=69%)

	sample size N (%)	marked improvement N (%)	95% CI	p
Social and demographic characteristics				
Educational level				
- high school and over	305 (35.1)	247 (81.0)	[77;85]	p < 0.0001
- secondary	404 (46.5)	267 (66.1)	[61;71]	
- primary or less or unknown	155 (17.8)	82 (52.9)	[45;61]	
Occupational status				
- occupational activity or training	256 (29.5)	216 (84.4)	[80;89]	p < 0.0001
- receiving unemployment benefits	102 (11.7)	66 (64.7)	[55;74]	
- receiving disability payments	114 (13.1)	53 (46.5)	[37;56]	
- on sick leave from work	149 (17.2)	120 (80.5)	[74;87]	
- not in labor force	118 (13.6)	74 (62.7)	[54;71]	
- other (state allowance,...)	130 (15.0)	70 (53.9)	[45;62]	
Last employment category				
- professional	92 (10.6)	78 (84.8)	[77;92]	p < 0.0001
- intermediate	167 (19.2)	138 (82.6)	[77;88]	
- clerical or sales	282 (32.5)	211 (74.8)	[70;80]	
- workers, artisan or farmer	108 (12.4)	65 (60.2)	[51;69]	
- no known profession	220 (25.3)	107 (48.6)	[42;55]	
Country of birth				
- France	698 (83.6)	476 (68.2)	[65;72]	p = 0.92
- Other	137 (16.4)	94 (68.6)	[61;76]	
Maternal age at admission (years)				
- 25-35	105 (12.1)	60 (57.1)	[48;67]	p = 0.01
- < 25	541 (62.3)	390 (72.1)	[68;76]	
- > 35	223 (25.7)	149 (66.8)	[61;73]	
Living with a partner (married or cohabiting)				
- yes	569 (65.5)	436 (76.6)	[73;80]	p < 0.0001
- no	300 (34.5)	163 (54.3)	[49;60]	
Maternal mental illness				
Index diagnosis				
- depressive episode and recurrent depressive disorder	158 (18.1)	137 (86.7)	[81;92]	p < 0.0001
- psychotic affective disorders	207 (23.8)	171 (82.6)	[77;88]	
- schizophrenia and other non-affective psychotic disorders	116 (13.3)	54 (46.6)	[38;56]	
- acute and transient psychotic disorders	41 (4.7)	35 (85.4)	[75;96]	
- adult personality or behavior disorder	106 (12.)	42 (39.6)	[30;49]	
- neurotic and other mood disorders	146 (16.8)	121 (82.9)	[77;89]	
- other diseases and disorders	94 (10.8)	38 (40.4)	[30;50]	
Psychiatric history				
no known pathology	166 (19.1)	133 (80.1)	[74;86]	p < 0.0001
- psychotic disorders	194 (27.3)	118 (60.8)	[54;68]	
- mood disorders	289 (33.3)	235 (81.3)	[77;86]	
- behavioral disorders	95 (10.0)	38 (40.0)	[30;50]	
- other disorders or missing	125 (14.4)	75 (60.0)	[51;69]	

History of trauma in childhood

Foster care in childhood

- no	660 (76.0)	471 (71.4)	[68;75]	p = 0,006
- yes	209 (24.0)	128 (61.2)	[55;68]	

Abuse in childhood and adolescence

- no	608 (70.0)	442 (72.7)	[69;76]	p < 0.0001
- abuse other than sexual	141 (16.2)	71 (50.4)	[42;59]	
- sexual abuse	120 (13.8)	86 (71.7)	[64;80]	

Pregnancy and birth

Mean age of baby at admission (weeks)

869	9.1	[8.3;9.8]	p = 0.78
-----	-----	-----------	----------

Parity

-primiparous	540 (62.1)	372 (68.9)	[65;73]	p = 0.19
- secundiparous	190 (21.9)	140 (73.7)	[67;80]	
- over secundiparous	124 (14.3)	77 (62.1)	[54;71]	

Obstetric(pregnancy) complication

- no known complication	648 (74.6)	444 (68.5)	[65;72]	p = 0.65
- complications	221 (24.4)	155 (70.1)	[64;76]	

Child transferred to neonatal intensive care unit

- no	688 (79.2)	490 (71.2)	[68;75]	p = 0.004
- yes	181 (20.8)	109 (60.2)	[53;67]	

Characteristics at admission

Reason for index admission

- first acute episode	219 (25.4)	178 (81.3)	[76;86]	p < 0.0001
- evaluation of maternal competence	154 (17.7)	66 (42.9)	[35;51]	
- acute and transient psychotic disorders	287 (33.0)	183 (63.8)	[58;69]	
- relapse of an acute episode	188 (21.6)	158 (84.0)	[79;89]	
- other, unknown	21 (1.4)	14 (66.7)	[47;87]	

Legal status at admission

- informal	800 (92.0)	552 (69.0)	[66;72]	p = 0.95
-involuntary admission	67 (8.0)	46 (68.7)	[58;80]	

Partner characteristics*

Mental and behavioral disorders

- no psychiatric disorder	426 (49.0)	333 (78.2)	[74;82]	p < 0.0001
- bipolar or depressive disorders	38 (4.4)	23 (60.5)	[45;76]	
- schizophrenia or other psychotic disorders	28 (3.2)	12 (42.9)	[25;61]	
- behavioral disorders	54 (6.2)	34 (63.0)	[50;76]	
- other disorders	67 (7.7)	41 (61.2)	[50;73]	
- unknown	256 (29.5)	156 (60.9)	[55;67]	

Occupational status

- occupational activity or training	588 (67.7)	446 (75.9)	[72;79]	p < 0.0001
- receiving unemployment or disability benefits or paid sick leave from work	110 (12.7)	70 (63.6)	[55;73]	
- other (at home, state allowance...)	82 (9.4)	43 (52.4)	[42;63]	
- unknown	89 (10.2)	40 (44.9)	[35;55]	

Treatments for mental illness during pregnancy

Neuroleptics

- no	659 (75.8)	466 (70.7)	[67;74]	p = 0.04
- yes	210 (24.2)	133 (63.3)	[57;70]	

Anxiolytic/antidepressor/thymoregulator during pregnancy

- no	620 (71.3)	440 (71.0)	[67;75]	p = 0.04
- yes	249 (28.7)	159 (63.9)	[58;70]	

Drug taking behavior during pregnancy

Tobacco					
	- no	561 (64.6)	419 (74.7)	[71;78]	p < 0.0001
	- yes	308 (34.4)	180 (58.4)	[53;64]	
Alcohol					
	- no	811 (93.3)	567 (69.9)	[67;73]	p = 0.02
	- yes	58 (6.7)	32 (55.2)	[42;68]	
Drug use					
	- no	804 (92.5)	570 (70.9)	[68;74]	p < 0.0001
	- yes	65 (7.5)	29 (44.6)	[33;57]	
Unit characteristics					
Size of unit					
	- large unit	483 (55.6)	315 (65.2)	[61;69]	p = 0.004
	- medium unit	263 (30.3)	202 (76.8)	[72;82]	
	- small unit	123 (14.1)	82 (66.7)	[58;75]	
Unit director's professional domain					
	- child psychiatrist	424 (48.8)	275 (64.9)	[60;69]	p = 0.01
	- adult psychiatrist	445 (51.2)	324 (72.8)	[69;77]	

.....
 *partner and, if no partner, baby's father

Table 2: Model for maternal marked improvement at discharge
(N = 814; ORb logistic regression per variable*; ORa multivariable logistic regression *)

	ORb (CI)	p	ORa (CI)	p
Social and demographic characteristics				
Educational level				
- high school and over	1	p <0.0001*	1	p = 0,54
- secondary	0.46 [0.32;0.65]		0.88 [0.54;1.46]	
- primary or less or unknown	0.28 [0.18;0.43]		1.23 [0.64;2.48]	
Occupational status				
- occupational activity or training	1	p <0.0001*	1	p = 0.02*
- receiving unemployment benefits	0.34 [0.20;0.58]		0.50 [0.26;0.98]	
- receiving disability payments	0.16 [0.10;0.27]		0.37 [0.18;0.76]	
- on sick leave from work	0.77 [0.45;1.30]		0.83 [0.44;1.57]	
- not in labor force	0.31 [0.19;0.52]		0.36 [0.18;0.70]	
- other (state allowance,...)	0,23 [0.14;0.38]		0.46 [0.23;0.93]	
Last employment category				
- professional	1	p <0.0001*	1	p = 0.31
- intermediate	0.85 [0.43;1.71]		0.98 [0.44;2.22]	
- clerical or sales	0.53 [0.28;1.00]		0.93 [0.41;2.08]	
- workers, artisan or farmer	0.27 [0.14;0.54]		0.53 [0.21;1.33]	
- no known profession	0.17 [0.09;0.31]		0.60 [0.24;1.50]	
Country of birth				
- France	1	p = 0.13	1	p = 0.18
- Other	1.02 [0.69;1.51]		1.44 [0.85;2.42]	
Maternal age at admission (years)				
- 25-35	1	p = 0.01*	1	p = 0.20
- < 25	0.52 [0.34;0.79]		1.13 [0.63;2.04]	
- > 35	0.78 [0.56;1.09]		0.68 [0.44;1.06]	
Living with a partner (married or cohabiting)				
- yes	1	p <0.0001*	1	p = 0.98
- no	0.36 [0.27;0.49]		1.01 [0.63;1.60]	
Maternal mental illness				
Index diagnosis				
- depressive episode and recurrent depressive disorder	1	p <0.0001*	1	p <0.0001*
- psychotic affective disorders	0.68 [0.37;1.24]		1.07 [0.51;2.22]	
- schizophrenia and other non-affective psychotic disorders	0.13 [0.07;0.24]		0.27 [0.12;0.61]	
- acute and transient psychotic disorders	0.77 [0.29;2.10]		0.42 [0.14;1.28]	
- adult personality or behavior disorder	0.09 [0.05;0.18]		0.21 [0.10;0.44]	
- neurotic or other mood disorders	0.72 [0.37;1.40]		0.88 [0.43;1.81]	
- other diseases and disorders	0.10 [0.05;0.19]		0.22 [0.10;0.48]	
Psychiatric history				
- no known pathology	1	p <0.0001*	1	p = 0.47
- psychotic disorders	0.39 [0.24;0.62]		0.83 [0.38;1.79]	
- mood disorders	1.08 [0.67;1.75]		0.97 [0.50;1.87]	
- behavioral disorders	0.17 [0.09;0.29]		0.54 [0.25;1.14]	
- other disorders or missing	0.37 [0.22;0.63]		0.77 [0.36;1.62]	

History of trauma in childhood

Foster care in childhood

- no	1	p = 0.01*	1	p = 0.23
- yes	0.63 [0.46;0.88]		0.76 [0.48;1.20]	

Abuse in childhood and adolescence

- no	1	p <0.0001*	1	p = 0.10
- abuse other than sexual	0.38 [0.26;0.55]		0.79 [0.47;1.32]	
- sexual abuse	0.95 [0.62;1.47]		1.60 [0.89;2.87]	

Pregnancy and birth

Parity

-primiparous	1	p = 0.19	1	p = 0.29
- secundiparous	1.26 [0.87;1.83]		0.97 [0.60;1.57]	
- over secundiparous	0.74 [0.49;1.11]		0.65 [0.37;1.12]	

Obstetric (pregnancy) complication

- no known complication	1	p = 0.65	1	p = 0.84
- complications	1.08 [0.77;1.50]		0.96 [0.62;1.47]	

Child transferred to neonatal intensive care unit

- no	1	p = 0.005*	1	p = 0.28
- yes	0.61 [0.44;0.86]		0.78 [0.49;1.23]	

Characteristics at admission

Reason for index admission

- first acute episode	1	p <0.0001*	1	p = 0.01*
- evaluation of maternal competence	0.17 [0.11;0.28]		0.72 [0.38;1.38]	
- acute episode of a chronic disorders	0.41 [0.27;0.62]		0.97 [0.51;1.83]	
- relapse of an acute episode	1.21 [0.72;2.04]		2.24 [1.11;4.55]	
- other, unknown	0.46 [0.18;1.21]		1.84 [0.50;6.73]	

Legal status at admission

- informal	1	p = 0.85	1	p = 0.64
-involuntary admission	0.98 [0.58;1.69]		0.84 [0.41;1.72]	

Partner characteristics**

Mental and behavioral disorders

- no psychiatric disorder	1	p <0.0001*	1	p = 0.13
- bipolar or depressive disorders	0.21 [0.10;0.46]		0.33 [0.14;0.79]	
- schizophrenia or other psychotic disorder	0.43 [0.22;0.85]		0.70 [0.27;1.85]	
- behavioral disorders	0.48 [0.26;0.86]		1.26 [0.59;2.69]	
- other disorders	0.44 [0.26;0.76]		1.40 [0.66;2.98]	
- unknown	0.44 [0.31;0.61]		1.00 [0.59;1.71]	

Occupational status

- Occupational activity or training	1	p <0.0001*	1	p = 0.30
- receiving unemployment or disability benefits or paid sick leave from work	0.56 [0.36;0.86]		1.09 [0.61;1.96]	
- other (at home, state allowance...)	0.35 [0.22;0.56]		0.67 [0.36;1.26]	
- unknown	0.26 [0.16;0.41]		0.60 [0.30;1.18]	

Treatments for mental illness during pregnancy

Neuroleptics

- no	1	p = 0.04*	1	p = 0.71
- yes	0.72 [0.52;0.99]		0.91 [0.55;1.50]	

Anxiolytic, antidepressor or thymoregulator

- no	1	p = 0.04*	1	p = 0.98
- yes	0.72 [0.53;0.99]		0.99 [0.63;1.56]	

Drug taking behavior during pregnancy

Tobacco

- no	1	p <0.0001*	1	p = 0.68
- yes	0.48 [0.35;0.64]		0.91 [0.59;1.41]	

Alcohol

- no	1	p = 0.02*	1	p = 0.22
- yes	0.53 [0.31;0.91]		1.64 [0.74;3.63]	

Drug use

- no	1	p <0.0001*	1	p = 0.33
- yes	0.33 [0.20;0.55]		0.70 [0.34;1.44]	

Unit characteristics

Unit director's professional domain

- child psychiatrist	1	p = 0.01*	1	p = 0.59
- adult psychiatrist	1.45 [1.09;1.94]		1.12 [0.73;1.75]	

.....
*adjusted for age of baby and size of MBU

**partner and if no partner baby's father