

**The inflammatory preatherosclerotic remodeling induced by intermittent hypoxia is attenuated by RANTES/CCL5 inhibition.**

Claire Arnaud, Pauline Beguin, Sylvie Lantuejoul, Jean-Louis Pepin, Christiane Guillermet, Graziano Pelli, Fabienne Burger, Vanessa Buatois, Christophe Ribuot, Jean-Philippe Baguet, et al.

► **To cite this version:**

Claire Arnaud, Pauline Beguin, Sylvie Lantuejoul, Jean-Louis Pepin, Christiane Guillermet, et al.. The inflammatory preatherosclerotic remodeling induced by intermittent hypoxia is attenuated by RANTES/CCL5 inhibition.: Vascular remodeling due to intermittent hypoxia. American Journal of Respiratory and Critical Care Medicine, American Thoracic Society, 2011, 184 (6), pp.724-31. 10.1164/rccm.201012-2033OC . inserm-00786346

**HAL Id: inserm-00786346**


**<https://www.hal.inserm.fr/inserm-00786346>**

Submitted on 8 Feb 2013

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



**Figure 1**





**Figure 2**



**Leukocyte rolling**



**ICAM-1 expression**



**Figure 3**





Figure 4



**Figure 5**

