Socioeconomic Position and Mortality-Reply

Archana Signh-Manoux, Silvia Stringhini

► To cite this version:

Archana Signh-Manoux, Silvia Stringhini. Socioeconomic Position and Mortality-Reply. Journal of the American Medical Association, 2010, pp.270-271. 10.1001/jama.2010.986 . inserm-01160889

HAL Id: inserm-01160889

<https://www.hal.inserm.fr/inserm-01160889>

Submitted on 8 Jun 2015

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

In Reply:

In response to our study, Drs Gonzalez-Santiago and Balderas-Renteria highlight the importance of air pollution as an explanatory factor for social inequalities in health.

Similarly, Dr Gross raises the possibility of psychological distress as a factor. We agree with these possibilities; indeed, there are multiple pathways linking socioeconomic position to health.

The Black Report, commissioned by the Department of Health in the United Kingdom in 1977, was the first comprehensive review of evidence in this domain.¹ It identified 4 theoretical explanations for social inequalities: artifactual, natural or social selection, materialist/structural, and cultural/behavioral. Subsequent research has attempted to examine (and promote) the relative importance of one pathway over another, with little consensus.² In the last decade or so, there has been a surge of interest in neighborhood studies, with increasing recognition of the methodological challenges and the need to identify the causal chain linking exposure to outcome.³ Exposure to environmental toxins and air pollution, is likely to contribute to health disparities. Unfortunately, we have no data on air pollution. However, the extent to which these factors explain the monotonic association between socioeconomic position and mortality in high income countries with tighter regulatory controls on the one hand and access to universal health care on the other remains unclear.

The principal conclusion of our study was that the effect of health behaviors in explaining social inequalities in health is greater when they are assessed longitudinally (42 % longitudinal assessment compared to 72% for baseline adjustment for all-cause mortality) . We were careful not to draw conclusions about their relative importance in relation to other

possible explanations of social inequalities. We accept Gross's assessment of the importance of psychological distress. However, in our data psychological distress measured by the General Health Questionnaire explained only 2% of the association between socioeconomic position and all-cause mortality when assessed at baseline (HR for mortality changed from 1.60 (1.26 – 2.04) to 1.58 (1.24 – 2.02)) and 5% when assessed longitudinally (adjusted HR 1.56 (1.23 – 1.99). The role of psychological factors in influencing health is likely to be complex;⁴ and perhaps mediated by health behaviors.

The task of modeling repeat measures of psychological factors, behavioral factors, and other possible elements along the causal chain is daunting. However, in order to improve population health and reduce inequalities, elements that can be targeted either in clinical settings or through public health messages and policies need to be identified. So far, the interventions aimed at changing social, behavioral, or psychological factors have produced disappointing results, perhaps due to the short term nature of these studies.⁵ The effect of the socioeconomic context on health and well-being develops over the life course. Thus, attempts to delineate the underlying pathways, either in observational studies or randomized controlled trials, need to bear this in mind. Our study, using observational data, demonstrates the importance of a longitudinal follow-up for health behaviors. The challenge now is to take the same approach to other key mediators of the association between socioeconomic position and health while attempting to also model the interrelationships between them.

Archana Singh-Manoux, PhD

Silvia Stringhini, MSc

silvia.stringhini@inserm.fr

INSERM, U1018

Centre for Research in Epidemiology and Population Health

51 Villejuif, France

52

53 Financial Disclosures: none reported.

54

55 Reference List

56 (1) Townsend P, Davidson N. Inequalities in health: The Black Report. Harmondsworth:

57 Penguin Books, 1982.

58 (2) Lynch JW, Smith GD, Kaplan GA, House JS. Income inequality and mortality:

59 importance to health of individual income, psychosocial environment, or material

60 conditions. *BMJ*. 2000;320:1200-1204.

61 (3) Chaix B. Geographic life environments and coronary heart disease: a literature review,

62 theoretical contributions, methodological updates, and a research agenda. *Annu Rev*

63 *Public Health*. 2009;30:81-105.

64 (4) Williams RB, Barefoot JC, Schneiderman N. Psychosocial risk factors for

65 cardiovascular disease: more than one culprit at work. *JAMA*. 2003;290:2190-2192.

66 (5) Berkman LF. Social epidemiology: social determinants of health in the United States:

67 are we losing ground? *Annu Rev Public Health*. 2009;30:27-41.