

# Age-related decline in endurance running performance – An example of a multiple World records holder

Romuald Lepers, Thomas Cattagni

► **To cite this version:**

Romuald Lepers, Thomas Cattagni. Age-related decline in endurance running performance – An example of a multiple World records holder. Applied Physiology, Nutrition, and Metabolism, NRC Research Press (Canadian Science Publishing), 2017, Epub ahead of print. 10.1139/apnm-2017-0298 . inserm-01614753

**HAL Id: inserm-01614753**

**<https://www.hal.inserm.fr/inserm-01614753>**

Submitted on 11 Oct 2017

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1           **Age-related decline in endurance running performance –**  
2           **An example of a multiple World records holder**

3  
4  
5                                      Romuald Lepers<sup>1</sup>, Thomas Cattagni<sup>2</sup>

6  
7       <sup>1</sup> CAPS UMR1093, INSERM, Univ. Bourgogne-Franche Comté, F-21000 Dijon, France.

8       Email : romuald.lepers@u-bourgogne.fr

9       <sup>2</sup> Laboratory Movement, Interactions, Performance EA 4334, University of Nantes, UFR

10      STAPS, Nantes, France. Email : thomas.cattagni@univ-nantes.fr

11  
12      **Article type:** Brief communication  
13

14  
15      **Corresponding author:**

16  
17      Pr. Romuald Lepers

18  
19      Laboratoire INSERM U1093 - Cognition Action et Plasticité Sensorimotrice

20      Faculté des Sciences du Sport

21      Université de Bourgogne

22      BP 27 877, Dijon F-21078, France

23      Email: romuald.lepers@u-bourgogne.fr

24      Tel: +33.380396760

25      Fax : +33.380396702

26

27 **Abstract**

28

29 This study examined the age-related decline in endurance running performance of one of the  
30 greatest master runners ever, Ed Whitlock. His running performances from 1500 m to  
31 marathon were analyzed for five periods of 5 years from 65-69 years to 85-89 years. Despite  
32 exceptional running performances for his advanced age, the rate of decline in his  
33 performances increased after 80 years and was drastically amplified after 85 years.

34

35

36 **Key words:** Case report, master athlete, running, aging, marathon

37

## 38 **Introduction**

39

40           Age-related decline in endurance performance has been well described in literature  
41 (Tanaka & Seals, 2003, Reaburn & Dascombe, 2008; Lepers & Cattagni, 2012; Lepers et al.,  
42 2016a). The trajectory of this decline is relatively linear since the fourth decade and become  
43 exponential after the seventh decade (Rittweger et al., 2009). This accelerated decline  
44 sometimes referred to as a “breakpoint” may be explained by several factors such as a  
45 reduction of the pool of older competitors, a decrease in the amount and intensity of training  
46 or a fading of integrative physiological capacity though training level is maintained (Lazarus  
47 & Harridge, 2017).

48           The age-related decline in athletic performances is generally assessed by analyzing,  
49 for each age-group, world record performances or top finishers in one single event such as  
50 world championships. However, these transversal analyses present some limitations because  
51 the performances do not belong to the same person and do not correspond to the same  
52 generation of athletes. Longitudinal studies would be more appropriated to describe the  
53 decline in performance with age but unfortunately, longitudinal studies are scarce in the  
54 literature (Trappe et al., 1996; Knechtle et al., 2010). Trappe et al. (1996) investigated runners  
55 between 46 and 68 years and found that aerobic capacity of highly trained middle-aged males  
56 declined by 5-7% per decade. Knechtle et al. (2010) reported that the running speeds of a 86  
57 years master runner (winner of the European half-marathon Championship in the 85-89 age-  
58 group) gradually slowed since the age of 64, with a larger decline after 80 years.

59           In the present paper, we propose to analyze the age-related decline in endurance  
60 running performance of one of the greatest master runners ever, Ed Whitlock (EW), (1931-  
61 2017). EW recently died of prostate cancer one week after his 86<sup>th</sup> birthday. Before that, the  
62 Canadian master athlete was the first person over 70 years old to run a marathon in less than

63 three hours. At the age of 85, he was also the oldest person to run a marathon in less than four  
64 hours. The main aim of this study is to describe the age-related decline in running  
65 performance of EW. We more specifically focused on EW's performance after 65 years old  
66 because he held his world records in age-groups from 65-69 years onwards.

67

## 68 **Methods**

69

70 Data were collected from the following websites: [http://www.world-masters-](http://www.world-masters-athletics.org)  
71 [athletics.org](http://www.world-masters-athletics.org) ; <https://www.mastersrankings.com> and <http://www.arrs.net>.

72 To date, EW still held more than 30 age-class world records on road and track  
73 running. EW had a late-life career as a marathoner. He ran a 4:31 mile in high school then ran  
74 little in college because of an Achilles tendon injury, and quit running at age 21 yrs when he  
75 started to work. He resumed running at his 40's and became a world-class masters runner at  
76 800 m and 1500 m. He did his first marathon at age 46 yrs and had his personal best on the  
77 marathon at age 48 (2h31min23s). After winning the World masters 1500 m title at age 48  
78 yrs, he lost the incentive to train and again stopped running. After retiring, EW took up  
79 running again. EW said, "I realized in my late 60s that this silly objective of being the first  
80 person over 70 yrs to get under 3h in the marathon was just sitting there waiting for  
81 someone." ([http://www.runnersworld.com/ed-whitlock/masters-marathon-legend-ed-](http://www.runnersworld.com/ed-whitlock/masters-marathon-legend-ed-whitlock-dies-at-86)  
82 [whitlock-dies-at-86](http://www.runnersworld.com/ed-whitlock/masters-marathon-legend-ed-whitlock-dies-at-86)).

83 The running performances were considered for the categories corresponding to a 5-  
84 year period as follows: 65-69 years, 70-74 years, 75-79 years, 80-84 years and 85-89 years.  
85 The following running distances were considered: 1500 m (indoor and outdoor), 3000 m  
86 (indoor and outdoor), 5000 m, 10 km, 21 km and the marathon (42 km). The age-related  
87 decline in performance was specifically examined for 1500 m (indoor and outdoor, pool data),

88 5000 m, 10 km and marathon (42 km), and was expressed as the age-related decline in  
89 running speed for these four distances.

90

## 91 **Results**

92

93 The most representative running performances of EW are shown in table 1. The mean  
94 decrease in running performance between each 5-year period from 65-69 years remained  
95 inferior to 5% until 75-79 years but was more pronounced after 80 years, reaching 13.4%  
96 between 80-84 years and 85-89 years. Figure 1 shows the age-related decrease in running  
97 performances during a 20-year period between 65 and 85 years. The running speed for the  
98 different events declined with advanced age but the decline was more pronounced after 80  
99 years old.

100

## 101 **Discussion**

102

103 The running performances of EW after 65 years old are exceptional. One of the most  
104 impressive performances remains maybe his running time at the marathon set at the age of 73  
105 yrs when he ran 2h54min48s. The performance corresponding to a running speed of  $4.02 \text{ m}\cdot\text{s}^{-1}$   
106 <sup>1</sup> is only 30% lower than that of the actual absolute world record ( $5.72 \text{ m}\cdot\text{s}^{-1}$ , 2h02min57s) and  
107 was considered, according to the model proposed by Vanderburgh (2015), as the fastest age-  
108 adjusted marathon world records of all time (age-adjusted time: 2h02min42s). It has also been  
109 estimated that the maximum oxygen uptake ( $\text{VO}_{2\text{max}}$ ) of EW at 80 years of age was close to  
110  $50 \text{ mlO}_2\cdot\text{kg}^{-1}\cdot\text{min}^{-1}$  (Lepers et al. 2013), that is much higher than the average  $\text{VO}_{2\text{max}}$  observed  
111 by Trappe et al (2013) in octogenarian endurance athletes ( $\sim 38 \text{ mlO}_2\cdot\text{kg}^{-1}\cdot\text{min}^{-1}$ ).

112 Besides his exceptional performances during his last two decades of life, there was an

113 accelerated decline in his performances after 80 years. The mean decline from 1500 m to  
114 marathon reached 13% during the 5-year period between 80 and 85 years, whereas it was only  
115 around 5% under 80 years. Knechtle et al. (2010) reported similar observation for a well-  
116 trained master athlete, who presented an increased rate of decline in half-marathon  
117 performance at the age of 82 yrs. The reason for this accelerated decline in performances at  
118 the beginning of 80's in master athletes are not clear. Potential age-related changes in  
119 physiological determinants of endurance exercise performance have been well described in  
120 literature (Lepers et al. 2016a, Tanaka and Seals, 2003). Reductions in  $VO_{2max}$ , lactate  
121 threshold and exercise economy are closely related to reductions in exercise training volume  
122 and intensity. The changes in the physical (e.g. prevalence of injuries) and behavioral (e.g.  
123 reduction in motivation to train) characteristics of training of the endurance master athletes  
124 with age can also be implicated. A possible fading of integrative physiological capacity after  
125 80 years, though training levels remain appropriated for age, should require more attention by  
126 exercise physiologists.

127         We do have some information about EW's training. In interviews (Video available at  
128 the address: [https://www.youtube.com/watch?v=65dNE\\_BMTNc](https://www.youtube.com/watch?v=65dNE_BMTNc)), EW said things like: "I  
129 don't have a manager. I don't have a coach. I don't have a trainer. I don't use heart monitors.  
130 I don't take any supplements." When at the height of marathon training, Whitlock did  
131 cemetery loops for 3 hours a day, every day; doing more than 140 miles per week. However,  
132 EW had a competitive spirit, He said: "Age-grading tables are a great motivator. My main  
133 interest in them is to see if I'm going downhill faster than the tables say or see if I can beat the  
134 tables." Even if, there is few scientific evidence on the way to train master athletes, especially  
135 elderly master athlete (Borges et al. 2016), EW would have probably had benefits to train  
136 with a coach for master athletes.

137 The presence of an accelerated decline in endurance performance after 80 years old  
138 needs to be confirmed by other longitudinal studies for other endurance activities such as  
139 swimming and cycling. Indeed, previous studies suggested that age-related decline in  
140 endurance performance depended on the locomotion mode, with a less pronounced decline in  
141 cycling compared with running or swimming (Bernard et al., 2010; Lepers et al., 2010; Lepers  
142 et al., 2016b, Lepers et al., 2017).

143 In conclusion, the running performances of EW from 1500 m to marathon from 65 to  
144 85 years were exceptional. His performances showed a more pronounced drop after 80 years  
145 old. However as previously mentioned, EW died at 86 years old from prostate cancer and this  
146 could have had a significant impact on the EW's running performances during the last years of  
147 his life, especially after 85 years.

148

#### 149 **Conflict of interest**

150

151 The authors report no conflicts of interest associated with this manuscript

152

153

154

#### 155 **References**

156

157 Bernard, T., Sultana, F., Lepers, R., Hausswirth, C., and Brisswalter, J. 2010. Age related  
158 decline in Olympic triathlon performance: effect of locomotion mode. *Exp. Aging Res.* **36**, 1-  
159 15. doi: 10.1080/03610730903418620

160

161 Borges, N., Reaburn, P., Driller, M., and Argus, C. 2016. Age-Related Changes in  
162 Performance and Recovery Kinetics in Masters Athletes: A Narrative Review. *J. Aging Phys.*  
163 *Act.* **24**, 149-157. doi: 10.1123/japa.2015-0021.

164

165 Knechtle, B., Kohler, G., and Rosemann, T. 2010. Study of a European male champion in 10-  
166 km road races in the age group >85 years. *Proc. (Bayl Univ Med Cent).* **23**(3):259-260.

167

168 Lazarus, N.R., and Harridge, S.D. 2017. Declining performance of master athletes: silhouettes  
169 of the trajectory of healthy human ageing? *J Physiol.* **595**(9):2941-2948. doi:

170 10.1113/JP272443.



- 171 Lepers, R., Sultana, F., Bernard, T., Hausswirth, C., and Brisswalter, J., 2010. Age-related  
172 changes in triathlon performances. *Int. J. Sports Med.* **31**, 251–256. doi:10.1055/s-0029-  
173 1243647.
- 174 Lepers, R. and Cattagni, T. 2012. Do older athletes reach limits in their performance during  
175 marathon running? *Age (Dordr)*. **34**, 773-781. doi: 10.1007/s11357-011-9271-z  
176
- 177 Lepers, R., Stapley, P.J., Cattagni, T., Gremeaux, V., and Knechtle B. 2013. Limits in  
178 endurance performance of octogenarian athletes. *J. Appl. Physiol.* **114**(6):829. doi:  
179 10.1152/jappphysiol.00038.2013.  
180
- 181 Lepers, R., and Stapley, P.J. 2016a. Master Athletes Are Extending the Limits of Human  
182 Endurance. *Front Physiol.* **12**(7):613. doi: 10.3389/fphys.2016.00613. Review.  
183
- 184 Lepers, R., Stapley, P.J., and Cattagni, T. 2016b. Centenarian athletes: Examples of ultimate  
185 human performance? *Age and Aging.* **45**(5):732-736. doi: 10.1093/ageing/afw111.  
186
- 187 Lepers, R., Stapley, P.J., and Cattagni, T. (2017) Age-Related Changes in Endurance  
188 Performance Vary Between Modes of Locomotion in Men: An Analysis of Master World  
189 Records. *Int. J. Sports Physiol. Perform.* **17**:1-12. doi: 10.1123/ijsp.2017-0222.  
190
- 191 Reaburn, P., and Dascombe, B. 2008. Endurance performance in masters athletes. *Eur. Rev.*  
192 *Aging Phys. Act.* **5**: 31-42.
- 193 Rittweger, J., di Prampero, P.E., Maffulli, N., and Narici, M. V, 2009. Sprint and endurance  
194 power and ageing: an analysis of master athletic world records. *Proc. Biol. Sci.* **276**, 683–689.  
195 doi:10.1098/rspb.2008.1319.
- 196 Tanaka, H., and Seals, D.R. 2003. Invited Review: Dynamic exercise performance in Masters  
197 athletes: insight into the effects of primary human aging on physiological functional capacity.  
198 *J. Appl. Physiol.* **95**, 2152-2162.
- 199 Trappe, S.W., Costill, D.L., Vukovich, M.D., Jones, J., and Melham, T. 1996. Aging among  
200 elite distance runners: a 22-yr longitudinal study. *J. Appl. Physiol.* **80**(1):285-290.  
201
- 202 Trappe, S., Hayes, E., Galpin, A., Kaminsky, L., Jemiolo, B., Fink, W., Trappe, T., Jansson,  
203 A., Gustafsson, T., Tesch, P. 2013. New records in aerobic power among octogenarian  
204 lifelong endurance athletes. *J. Appl. Physiol.* **114**(1):3-10.  
205
- 206 Vanderburgh, P.M. 2015. Fastest age-adjusted marathon world records of all time. *Med. Sci.*  
207 *Sports Exerc.* **47**, Issue 5S - p 420. doi: 10.1249/01.mss.0000477575.32852.9b  
208

209  
210

Age Group	1500 m		3000 m		5000 m	10 Km	21 km	Marathon	Mean difference with previous age group
	Outdoor (min:s,)	Indoor (min:s,)	Outdoor (min:s,)	Indoor (min:s,)	(min:s,)	(min:s,)	(h:min:s)	(h:min:s)	
65-69 yrs	04:46,1				17:38,5	36:31,5	01:19:32	02:51:02	
70-74 yrs	05:07,9			<b>10:52,4</b>	18:33,4	<b>38:04,1</b>	01:22:23	<b>02:54:48</b>	4.7 ± 1.8 %
75-79 yrs		<b>05:20,0</b>	<b>11:10,4</b>	<b>11:17,2</b>	<b>19:07,0</b>	<b>39:25,2</b>	<b>01:29:26</b>	<b>03:04:54</b>	4.3 ± 1.9 %
80-84 yrs		<b>05:48,5</b>	<b>12:13,6</b>	<b>12:08,9</b>	<b>20:58,1</b>	<b>42:39,9</b>	<b>01:37:38</b>	<b>03:15:54</b>	8.1 ± 1.4 %
85-89 yrs	<b>06:38,2</b>	<b>06:38,9</b>		<b>13:42,0</b>	<b>24:03,9</b>	<b>51:07,5</b>		<b>03:56:34</b>	13.4 ± 2.9%

211  
212  
213  
214  
215


**Table 1.** Selection of representative running performances of Ed Whitlock. In bold : Current world records.

216  
217  
218  
219  
220  
221  
222  
223  
224  
225

**Figure captions**

**Figure 1**

Ed Whitlock's running speed as function of age for different events. The decline becomes more predominant after 80 years old.



226 Figure 1