



HAL
open science

Learning What You Know: How Prior Knowledge Impairs New Associative Learning in Early AD

Pierre-Yves Jonin, Quentin Duché, Elise Bannier, Isabelle Corouge, Jean-Christophe Ferré, Serge Belliard, Christian Barillot, Emmanuel J. Barbeau

► To cite this version:

Pierre-Yves Jonin, Quentin Duché, Elise Bannier, Isabelle Corouge, Jean-Christophe Ferré, et al.. Learning What You Know: How Prior Knowledge Impairs New Associative Learning in Early AD. 2019 Conference on Cognitive Neurosciences of Memory: Recollection, Familiarity and Novelty detection, Oct 2019, Liège, Belgium. pp.1. inserm-02383947

HAL Id: inserm-02383947

<https://www.hal.inserm.fr/inserm-02383947>

Submitted on 28 Nov 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Learning What You Know:

How Prior Knowledge Impairs New Associative Learning in Early AD

Pierre-Yves Jonin^{1,2,3}, Quentin Duché², Elise Bannier^{2,4}, Isabelle Corouge², Jean-Christophe Ferré^{2,4}, Serge Belliard³, Christian Barillot², Emmanuel J. Barbeau¹.

(1)Brain and Cognition Research Center, CNRS UMR 5549, Université de Toulouse Paul Sabatier, Toulouse, France

(2)Univ. Rennes, CNRS, Inria, Inserm, IRISA UMR 6074, Empenn ERL U-1228, F-35000 Rennes, France

(3)CHU Rennes, Department of Neurology, F-35033 Rennes, France

(4) CHU Rennes, Department of Radiology, F-35033 Rennes, France

Abstract

While associative memory impairment is a core feature of prodromal Alzheimer's Disease (AD), whether prior knowledge affects associative learning is largely overlooked. Stimuli repetition yields suppression or enhancement of the BOLD signal, allowing the functional mapping of brain networks. We addressed the role of prior knowledge in associative encoding by manipulating repetition and familiarity of the memoranda in a subsequent memory fMRI study design.

17 patients with prodromal AD (AD-MCI) and 19 Controls learned face-scene associations presented twice in the scanner. Pre-experimental knowledge trials (PEK) involved famous faces while in Experimental Knowledge trials (EK), unknown faces familiarized before scanning were used. Study events were sorted as associative hits, associative misses or misses after a recognition test outside the scanner. We computed the Repetition X Prior knowledge interaction contrast to test whether the encoding networks differed along with prior knowledge, then looked for subsequent associative memory effects in the resulting clusters. PEK and EK yielded similar associative memory performance in AD-MCI, while PEK increased associative memory by 28% in Controls. Repetition effects were modulated by Prior knowledge in Controls, but AD-MCI showed aberrant repetition effects. Subsequent memory effects were observed only in Controls for PEK in the right subhippocampal structures. By contrast, in both groups, EK triggered a subsequent memory effect in the right hippocampus. Provided that tau pathology starts within anterior subhippocampal regions in early AD, our findings that subhippocampal, not hippocampal, involvement underlies the inability of the patients to benefit from PEK open innovative clinical and research perspectives.

Keywords: Associative memory; Prior Knowledge; Alzheimer's disease; Recognition memory; fMRI