



## **Protocadherin 12 (VE-cadherin 2) is expressed in endothelial, trophoblast, and mesangial cells.**

Christine Rampon, Marie-Hélène Prandini, Stéphanie Bouillot, Hervé Pointu, Emmanuelle Tillet, Ronald Frank, Muriel Vernet, Philippe Huber

### **► To cite this version:**

Christine Rampon, Marie-Hélène Prandini, Stéphanie Bouillot, Hervé Pointu, Emmanuelle Tillet, et al.. Protocadherin 12 (VE-cadherin 2) is expressed in endothelial, trophoblast, and mesangial cells.. Experimental Cell Research, 2005, 302 (1), pp.48-60. 10.1016/j.yexcr.2004.08.024 . inserm-00433181

**HAL Id: inserm-00433181**


**<https://inserm.hal.science/inserm-00433181>**

Submitted on 18 Nov 2009

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

A



B

