

Severe peach allergy in patients non-sensitized to Pru p 3

Mc Leoni, D Caimmi, Anca Chiriac, Mp Demoly, Pascal Demoly

► **To cite this version:**

Mc Leoni, D Caimmi, Anca Chiriac, Mp Demoly, Pascal Demoly. Severe peach allergy in patients non-sensitized to Pru p 3. Food Allergy and Anaphylaxis Meeting (FAAM 2013) Nice, France. 7-9 February 2013, Feb 2013, France. 3 (Suppl 3), pp.P150, 2013, <10.1186/2045-7022-3-S3-P150>. <inserm-00848071>

HAL Id: inserm-00848071

<http://www.hal.inserm.fr/inserm-00848071>

Submitted on 25 Jul 2013

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



POSTER PRESENTATION

Open Access

Severe peach allergy in patients non-sensitized to Pru p 3

MC Leoni*, D Caimmi, AM Chiriach, MP Demoly, P Demoly

From Food Allergy and Anaphylaxis Meeting (FAAM 2013)
Nice, France. 7-9 February 2013

Background

Allergy to Rosaceae is the fourth leading cause of food allergy in children in France. Typically, in Northern Europe, there is a prior sensitization to birch, through a PR-10 protein, while in Southern Europe the allergy is often preceded by a sensitization to a Lipid Transfer Protein (LTP). In Spain it is often recorded as a subsequent sensitization to apple (cross-reaction between Pru p 3 and Mal d 3). Beside, it has to be pointed out the frequent association between allergy to cypress and peach.

Methods

We present two patients allergic to peach. The first one is a 23 year old female who experienced 4 episodes of facial angioedema, after ingestion of peach, and an episode of lingual angioedema after intake of raw apple. The second one is a 34 year old female allergic to cypress who referred an episode of anaphylaxis characterized by abdominalgia, facial angioedema, generalized urticaria, and dyspnea, after eating a peach. Both patients underwent a complete allergy work-up, from Skin Prick Tests (SPT) to Oral Provocation Test (OPT).

Results

In the first patient, SPT were positive for mites, cypress, birch, peach and apple and prick by prick were positive to 4 different varieties of apple. Specific IgE were 53.2 kU/l for cypress, 0.65 kU/l for peach, 0.83 kU/l for apple and negative for peach recombinants rPru p 1, rPru p 3 and rPru p 4. An OPT to apple was positive at the end of the test, with facial urticaria. The OPT to peach was interrupted for an anaphylactic reaction including generalized urticaria and bronchospasm. In the second patient, SPTs were positive for mites, cypress and apple, and prick by

prick were positive for apple. Specific IgE to peach were 2 kU/l, with negative results for rPru p 1, rPru p 3, and rPru p 4. The OPT to peach was positive at a dose of 32 grams, with abdominalgia, generalized urticaria and decrease of the FEV₁ of 13% (440 ml).

Conclusion

Peach allergy major determinant is Pru p 3, which is an LTP, but some patients are sensitized to Pru p 1 (PR 10) or Pru p 4 (profilin). Patients with severe reactions are usually sensitized to Pru p 3, but a co-sensitization to Pru p 1 and Pru p 4 seems to reduce the risk of important reactions. Nevertheless, none of the presented patients was sensitized to the allergenic components of peach that can be tested. It is therefore possible that there is a protein, not identified yet, that may be associated with severe reactions in patients allergic to peach.

Disclosure of interest

None declared.

Published: 25 July 2013

doi:10.1186/2045-7022-3-S3-P150

Cite this article as: Leoni et al.: Severe peach allergy in patients non-sensitized to Pru p 3. *Clinical and Translational Allergy* 2013 **3**(Suppl 3):P150.

Département de Pneumologie et Addictologie, Unité d'Allergologie INSERM U657, Hôpital Arnaud de Villeneuve, University Hospital of Montpellier, Montpellier, France